



Product Sheet

applelec[™]
group

Applelec NeonLux

Applelec NeonLux



Create stunning branding with our robust NeonLux LED lettering range


The NeonLux range features embedded LEDs which are available in a choice of LED and acrylic colour options.



A wide range of font styles can be created with the lettering range, which features intense illumination whilst being a highly energy efficient LED product.



Available in bull nose, chiselled and flat face options, the range combines sophisticated construction techniques with an elegant finish for illuminated lettering, imaginative designs and logos. The range can be created with optional finishes including, vinyl coating, painting to any RAL/3 digit pantone reference, as well as a highly polished finish to replicate the effect of glass neon.



Through clever fabrication, the NeonLux range can achieve an incredibly narrow face profile width of just 3mm for some lettering options, by carefully shaping the sides of the letters. Created in standardised, block acrylic thicknesses of 25mm and 30mm, the uniquely sealed letters can be constructed with a maximum IP67 protection rating for interior as well else exterior applications and are supplied individually or mounted onto signage.

applelec[★]
lighting

applelec[★]
projects

applelec[★]
sign

applelec[★]
supply

applelec[★]
group



www.applelec.co.uk
01274 774 477
sales@applelec.co.uk

Applelec NeonLux


General Letter Specifications

- Suitable for internal and external IP67 applications
- Thermally managed LEDs run cool to the touch
- High quality LEDs deliver bright and clear illumination
- Acrylic thicknesses available 10mm, 20mm & 30mm with some letter profiles 23mm
- Glossy finish available for a true glass look
- Minimum letter stroke widths required 12mm or 14mm depending on letter profile
- All LEDs are 12v
- Standard LED colours available are red, green, orange, blue, yellow, cool white, warm white
- Some profiles are available with an RGB colour changing option
- 2 year warranty on LEDs and letters
- Supplied with IP68 rated 12v power supplies, warranty for 5 years
- Fixings: tapped holes to suit M4 studs as standard (with M3 studs on small detail & M5 studs on large detail)
- Letters can have either paint, vinyl or flat cur metal applied depending on the letter profile



Profile Options:

Neon/Bull Nosed Style



Bevelled/Chiselled Style



Block/Flat Faced Style



applelec[★]
lighting

applelec[★]
projects

applelec[★]
sign

applelec[★]
supply

applelec[★]
group



www.applelec.co.uk
01274 774 477
sales@applelec.co.uk